



# Free-Spirit Loungers

5-6 person, Personal Lounger  
84" x 84" x 36"

**NEW**  
*Stainless Jets  
are Standard*



Essentials



Premium



Elite



- 1 x 5 BHP (3 Hp) Pump
- 27 Soothing Jets
- Ozone generator
- Maintenance Free Cabinet
- 100 Sq. Ft. Filtration
- R-30 Insulation
- Underwater LED Light
- 2 Neck/Shoulder Therapy Seats

- 2 x 5 BHP (3 HP) Pumps
- 54 Soothing Jets
- Ozone generator
- Maintenance Free Cabinet
- 100 Sq. Ft. Filtration
- R-30 Insulation
- Underwater LED Light
- Neck/Shoulder Therapy Seat
- 6" Waterfall
- Bubbler/Spillway

- 2 x 5 BHP (3 HP) Pumps
- 54 Stainless Jets
- Ozone generator
- Maintenance Free Cabinet
- 100 Sq. Ft. Filtration
- R-30 Insulation
- Underwater LED Light
- Neck/Shoulder Therapy Seat
- 6" Waterfall (Backlit)
- Bubbler/Spillway (Backlit)
- 15 Accent Pin-Lights

## Quality, Features & Value to Rival any Brand!

### All Premium Hot Tubs

**F** Home Delivery Shipping  
**R** Premium R-Value Cover  
**E** Year of Filters - Spa Vac  
**E** Ozonator - Startup Chem Kit  
**E** Underwater LED Light  
**E** Maintenance Free Cabinet

Value of Included Extras:  
**\$ 1,990.00**

### Our Premium Standard Features Include:

- Corona Discharge Ozone Generator w/ Mazzie Injector and contact chamber
- 5 BHP / 56 Frame Pump Motors
- Balboa Electronics with Titanium Heater Element
- Expansion Foam Insulation (average R-Value of 30)
- 24 Bulb Underwater LED Color Lighting
- Waterfall (except Essentials Models)
- Maintenance-Free Cabinet
- 100 Square Feet of Filtration
- Sealed Bottom

### Maintenance Free Spa Cabinet

- No annual staining
- Lasts longer than wood
- Insect and chemical resistant
- Environmentally Friendly

Beautiful Synthetic Cabinet  
Walnut



Beautiful Synthetic Cabinet  
Slate Gray



Spa comes complete with matching Premium-R Insulated Cover.

### 6 Acrylic Shell Color Choices



Oceanwave  
Opal



Cinnabar  
Granite




Oyster  
Opal



Sahara



Silver  
White  
Marble



Midnight  
Opal

## Stereo Option for Free-Spirit Series



### 4 Speaker Stereo Plus Sub-Woofer

- This equipment was designed specifically for hot tub applications. NOT a modified car or marine stereo.
- There are no air holes in the stereo chassis. Instead heat syncs were utilized to ensure minimal chance of moisture getting in.
- Our factory utilizes 2 individual power supplies for the best audio experience.  
One each for:
  - 4 Speakers
  - Sub-Woofer



**Weatherproof Stereo**  
AM/FM/CD/MP3 Player



### ETL Approved

Purchase and enjoy your Spas N Stuff hot tub with confidence.

### 56 Frame Pumps = Quiet and Energy Efficient



Your Spas N Stuff hot tub is equipped with Flo-Master®"XP2e" 6.0 BHP, 56 Frame pumps. (some models have one pump, some have two).

56 Frame pumps produce more power and use less energy. Their increased efficiency allows them to operate cooler and quieter and last much longer than a 48 frame pump.

56 Frame pumps provide plenty of power for your soothing massage therapy while still offering quiet operation and energy efficiency.

### S-Class Spa Controls – Laguna Lounger Series



We use a state of the art electronic control system to ensure safe and reliable operation of your spa.

The S-Class control system comes with a user friendly, 4 button Touch Key control pad with bright LED display. The electronic control pad allows control to all spa functions with the touch of a button.

The S-Class control system also includes a 4000 watt, 825 incoloy stainless steel heater to keep your water warm for many years to come!

### TSE-Ecospray® to Strengthen the Hot Tub Shell



The Aristech Acrylic Shell is sprayed with TSE-Ecospray, a modern polyurethane, which bonds to the ABS backed acrylic. This provides tremendous strength, an extra layer of insulation, and eliminates the concerns over using fiberglass. This two-component polyurethane material is designed specifically as an environmentally friendly alternative to polyester resin (Fiberglass).

TSE-Ecospray Substrate:

- is Styrene Free!
- has Zero VOC's (Volatile Organic Compounds)
- has Excellent Adhesion and Strengthening when applied to Thermoformed Acrylic